

SHARDA EUROPE B.V.B.A

DELTA FORCE EC

Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date:01/04/2022

Version: 1.0/ES (eng)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : DELTAFORCE EC
Name : Deltamethrin 2,5% EC
Product code : SHA 0100 V
Registration number : ES/APP(NA)-2018-18-00524

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Biocide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Sharda Europe BVBA
Heedstraat 158
1730 Asse
[Bélgica](#)
regn@shardaintl.com

1.4. Emergency telephone number

Emergency number

: 112



SHARDA EUROPE B.V.B.A

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhalation:vapour) Category 4	H332
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate, 2-methylpropan-1-ol; iso-butanol, Tetrapropylene benzene sulphonate-Ca-salt, Hydrocarbons, C9, aromatics

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H302+H332 - Harmful if swallowed or if inhaled.
H304 - May be fatal if swallowed and enters airways.
H318 - Causes serious eye damage.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

SHARDA EUROPE B.V.B.A



P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing mist, spray, vapours, dust, fume, gas.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P391 - Collect spillage.

P403 - Store in a well-ventilated place.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate, 2-methylpropan-1-ol; iso-butanol, Tetrapropylene benzene sulphonate-Ca-salt, Hydrocarbons, C9, aromatics

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H302+H332 - Harmful if swallowed or if inhaled.
H304 - May be fatal if swallowed and enters airways.
H318 - Causes serious eye damage.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P261 - Avoid breathing mist, spray, vapours, dust, fume, gas.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P391 - Collect spillage.
P403 - Store in a well-ventilated place.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SHARDA EUROPE B.V.B.A



SHARDA EUROPE B.V.B.A

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Hydrocarbons, C9, aromatics	EC-No.: 918-668-5 REACH-no: 01-2119455851-35	≥ 80	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 STOT SE 3, H335 Aquatic Chronic 2, H411 (M=0)	
Tetrapropylene benzene sulphonate-Ca-salt	CAS-No.: 11117-11-6 EC-No.: 234-360-7	1 – 5	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	



SHARDA EUROPE B.V.B.A

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate	CAS-No.: 52918-63-5 EC-No.: 258-256-6 EC Index-No.: 607-319-00-X	2.81	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H301 Aquatic Acute 1, H400 (M=1000000) Aquatic Chronic 1, H410 (M=1000000)	
2-methylpropan-1-ol; isobutanol	CAS-No.: 78-83-1 EC-No.: 201-148-0 EC Index-No.: 603-108-00-1	0 – 5	Flam. Liq. 3, H226 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336	
2,6-di-tert-butyl-p-cresol	CAS-No.: 128-37-0 EC-No.: 204-881-4	0 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
acetic acid ... % substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	< 0.1	Flam. Liq. 3, H226 Skin Corr. 1A, H314	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Call a doctor.
First-aid measures after skin contact	: Remove contaminated clothes. After contact with skin, wash immediately and thoroughly with water and soap.
First-aid measures after eye contact	: Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: In case of fire and/or explosion do not breathe fumes.
Explosion hazard	: Risk of explosion if heated under confinement. May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Carbon monoxide. Nitrogen oxides. Carbon dioxide. Toxic fumes may be released. May release flammable gases.



SHARDA EUROPE B.V.B.A

5.3. Advice for firefighters

Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Appropriate self-contained breathing apparatus may be required. Get the package away from the fire if this can be done without risk. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Wear fire/flame resistant/retardant clothing. Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Do not allow material to contaminate surface water system. In case of fire, corrosive and harmful gases come free.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing, gloves and eye or face protection. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). EN 166. Wear eye protection. Personal protective equipment. EN ISO 20345.
Emergency procedures	: Evacuate personnel to a safe area.

6.1.2. For emergency responders

Protective equipment	: Wear suitable hand, body and head protection.
----------------------	---

6.2. Environmental precautions

Danger of pollution of drinking water when product enters the soil. Do not allow run-off from fire fighting to enter drains or water courses. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Label the container and provide warning statements to prevent any contact.
Methods for cleaning up	: Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Clean spills promptly. Wash contaminated area with large amounts of water.

6.4. Reference to other sections

No additional information available



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Do not allow run-off from fire fighting to enter drains or water courses. Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).
Precautions for safe handling	: Avoid contact with skin and eyes. Do not eat, drink or smoke in areas where product is used. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Remove contaminated clothing and shoes. Wash clothing and equipment after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ensure adequate ventilation, especially in confined areas. Store locked up.
Storage conditions	: Keep only in original container. Store in a dry place. Store in a closed container. Store in a well-ventilated place. Protect from sunlight.
Storage temperature	: 0 – 30 °C
Packaging materials	: Keep only in the original container in a cool, well-ventilated place away from combustible materials.

7.3. Specific end use(s)

No additional information available

SHARDA EUROPE B.V.B.A

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-methylpropan-1-ol; iso-butanol (78-83-1)	
Spain - Occupational Exposure Limits	
Local name	Isobutanol (Alcohol isobutílico)
VLA-ED (OEL TWA) [1]	154 mg/m ³
VLA-ED (OEL TWA) [2]	50 ppm
acetic acid ... % (64-19-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Acetic acid
IOEL TWA	25 mg/m ³
IOEL TWA [ppm]	10 ppm
IOEL STEL	50 mg/m ³
IOEL STEL [ppm]	20 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Spain - Occupational Exposure Limits	
Local name	Ácido acético
VLA-ED (OEL TWA) [1]	25 mg/m ³
VLA-ED (OEL TWA) [2]	10 ppm
VLA-EC (OEL STEL)	50 mg/m ³
VLA-EC (OEL STEL) [ppm]	20 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



SHARDA EUROPE B.V.B.A

8.2.2.1. Eye and face protection

Eye protection:

EN 166. Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Extra personal protection: P2 filter respirator for harmful particles. Extra personal protection: P3 filter respirator for toxic particles

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: Terpenes.
Odour threshold	: No data available
pH	: 3-4
pH solution	: 7.01 Aqueous solution
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 37 °C
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available

Relative density	: 0.8891	Relative vapour density at 20 °C	: No data available
Solubility	: No data available		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: 1.958 mPa.s (20 °C)		
Explosive properties	: Not explosive.		
Oxidising properties	: Not oxidising.		
Explosive limits	: No data available		



9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

SHARDA EUROPE B.V.B.A

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

Heat. High temperature. Open flame. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Harmful if inhaled.

DELTASECT 2.5% EC

LD50 oral rat	300 – 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	2.74 mg/l/4h

Skin corrosion/irritation : Not irritating

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : This product does not cause skin sensitization

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness. May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.



SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate (52918-63-5)

LC50 - Fish [1]	0.26 μ g/l (96 h, <i>Oncorhynchus mykiss</i>)
EC50 - Crustacea [1]	0.56 μ g/l (48 h, <i>Daphnia magna</i>)

SHARDA EUROPE B.V.B.A

EC50 72h - Algae [1]	0.02277 mg/l (72 h, <i>Chlorella vulgaris</i>)
NOEC (chronic)	0.0000041 mg/l (<i>Daphnia magna</i>)

SHARDA EUROPE B.V.B.A

12.2. Persistence and degradability

deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate (52918-63-5)

Persistence and degradability Not readily biodegradable.

12.3. Bioaccumulative potential

deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate (52918-63-5)

Partition coefficient n-octanol/water (Log Pow) 4.6 (20 °C)

12.4. Mobility in soil

DELTASECT 2.5% EC

Surface tension 27.43 mN/m

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available


SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Avoid release to the environment. Disposal must be done according to official regulations. Do not dispose of the packaging without first carrying out the necessary cleaning. Refer to manufacturer/supplier for information on recovery/recycling.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
3	3	3 	3	3

SHARDA EUROPE B.V.B.A


ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
 Special provisions (ADR) : 274, 601
 Limited quantities (ADR) : 5I
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P001, IBC03, LP01, R001
 Mixed packing provisions (ADR) : MP19
 Portable tank and bulk container instructions (ADR) : T4
 Portable tank and bulk container special provisions (ADR) : TP1, TP29

Tank code (ADR) : LGBF
 Vehicle for tank carriage : FL
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Special provisions for carriage - Operation (ADR) : S2
 Hazard identification number (Kemler No.) : 30
 Orange plates :



Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 223, 274, 955
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T4
 Tank special provisions (IMDG) : TP1, TP29
 EmS-No. (Fire) : F-E

Stowage category (IMDG) : A

EmS-No. (Spillage)

: S-E



Air transport

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y344
 PCA limited quantity max net quantity (IATA) : 10L
 PCA packing instructions (IATA) : 355
 PCA max net quantity (IATA) : 60L
 CAO packing instructions (IATA) : 366

SHARDA EUROPE B.V.B.A

CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3
ERG code (IATA) : 3L

SHARDA EUROPE B.V.B.A

Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 274, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Other information, restriction and prohibition regulations : according to Regulation (EU) 2015/830.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Refer to protective measures listed in Sections 7 and 8

15.2. Chemical safety assessment

Refer to protective measures listed in Sections 7 and 8



SHARDA EUROPE B.V.B.A

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation



SHARDA EUROPE B.V.B.A

Otros datos

Fecha de emisión: 01/08/2023
Versión: 1.0/ES (eng)
Reemplaza: -
Indicación de cambios: -

SDS EU (Anexo II de REACH)

Esta información se basa en nuestro conocimiento actual y tiene como finalidad describir el producto para la tutela de la salud, seguridad y medio ambiente. Por lo tanto, no debe ser interpretada como garantía de ninguna característica específica del product

