

Directions for Use

When to use: Start your fly control program early in the fly control season to prevent massive population build up. Retreat when no product is left or the granules are covered by dust.

Which amount: Small amounts of Quick Bayt in various spots preferred by flies will be effective. The contents of this container are sufficient for a floor space area of 180-200 m².

How to apply: Scatter onto dry level surfaces (e.g. pathways, window ledges, shallow dishes). Avoid extremely dusty areas. For painting dissolve the contents of this pack with 250 ml of warm water. Paint only small spots on walls, joists, window ledges, stable fixtures etc. where flies rest. Paint onto sheets of cardboard or fabric which can be placed in areas frequented by flies. Clean the brush with warm water. Place bait in areas out of the reach of food producing animals or pets.

Mode of Action: acute contact and stomach poison.

الإسعافات الأولية :
في حالة التسمم يجب حمل المريض على الطبيب فوراً لا يوجد ترياق معروف في حالة ملامسة المبيد للحظ ويغسل جيداً بالماء والصابون وفي حالة ملامسة العينين يتم غسلها بكمية وافرة من الماء لمدة ١٥ دقيقة. تحذير : يجب قراءة التعليمات جيداً واتباع طرق ونسب الاستعمال والتخزين وأن الشركة المنتجة والوكيل والموزع غير مسؤولين عن الأضرار الناتجة عن سوء الاستعمال.

سماح للأسماك والنحل والاحتياطات والتحذيرات :
يجب الاستخدام حسب الإرشادات الموضحة وارتداء الملابس الواقية. تجنب للمس والاحتكاك ثم غسل الجلد واليدين بالماء. يجب عدم وضع الطعام في الأماكن المخصصة لتخزين العلف الحيواني. يجب تخزين العيون الأصلية بعيداً عن متناول الأطفال في مكان بارد جاف وجيد التهوية. يجب إتلاف العيون الفارغة في أماكن آمنة.



كويك بايت

Precautions, Storage and Disposal

Use only according to directions. Avoid contact with skin and eyes. If in contact with eyes, thoroughly rinse with

water. After use wash hands and affected areas of skin with water. Store only in original packaging out of reach of children. Completely emptied containers can be recycled. Packages with product must be disposed of according to local chemical disposal regulations.

First aid

If poisoning is suspected, consult a doctor. There is no specific antidote. The administration of activated charcoal has often been found beneficial in cases of accidental ingestion of chemicals.

طريقة الاستعمال :

١- ابدأ برنامج مكافحة الذباب عند حلول موسم التكاثر و ناك لإيقاف تكاثر الذباب ومنع التزايد في العدد. الجرة : عند وضع كمية قليلة من الحبيبات في الأماكن التي يفضلهما الذباب تكون أكثر فعالية و تكفي محتويات هذه العبوة مساحة ١٨٠-٢٠٠ م^٢.

كيفية وضع الطعام :

١- نثر : انثر الكمية المطلوبة من الحبيبات على الأسطح الجافة المستوية (المرات ، حواف الشبائك ، أطباق مسطحة).
٢- دهنا : اخلط مكونات هذه العبوة مع ٢٥٠ مل ماء دافئ ادهن السطح بواسطة فرشاة على أماكن وقوف الذباب (الحائط ، السقوف ، حواف الشبائك). كما يمكن دهن المبيد على قطعة من الكرتون الصلب و وضعها في أماكن تواجد الذباب. نظف الفرشاة بعد الاستعمال بالماء الدافئ. ويجب مراعاة وضع الطعام في أماكن بعيدة عن حضائر الحيوانات الداجنة أو الأليفة.

Country	Importer	Tel. N°	Reg. N°	Reg. Exp. date
Egypt	Chemitra	+ 20 2 260 66 71		
Jordan	ARABCO	+ 962 6 566 11 87	7670	
Lebanon	UNIFERT SAL			
Oman	International Insecticides	+ 968 24 701 495		
Saudi Arabia	Quraish Industrial & Trading EST	+ 966 2 653 24 41	188-11-639	
UAE	Alphamed	+ 971 4 211 66 66	1415	
Kuwait	YIACO Medical Company	+965 48 32600/1/2/3	305/2004	6/7/2009

Registration N° in Country of origin: 12665



Bayer Environmental Science
A Business Operation of Bayer CropScience

Produced By: Denka International b.v. Hanzeweg 1 - 3771 NG Barneveld, The Netherlands

Production Date, Batch No.: See Bottom of container
Expiry date: 2 years from the production date

بإلحاحنا : هو لندا
Distributed By: Bayer ES SAS - France
16, rue Jean-Marie Leclair - CP106
F-69266 Lyon Cedex 09