

WAX BLOCKS RODENTICIDE

مكعبات شمعية جاهزة للإستخدام

34843

NEW & IMPROVED

PRESENTED IN 10 GRAM BLOCKS
NOW UP TO 100 DEGREES!

PRECAUTIONARY STATEMENTS

التحذيرات

Do not drink or eat while using the pesticide
keep away from childrens & animals
keep away from the food & water resources

FIRST AID

الاسعافات الاولية

If Swallowed: Visit Doctor & Do not drink any Liquids
If Inhaled: Move outside fresh air & Visit Doctor
If on Skin: Wash Area with water & Soap for 15 minutes.
If in Eyes: Rinse Eye with water for 15 minutes.

STORAGE AND DISPOSAL

التخزين و التخلص من العبوات

Empty package must be disposed and not be reused.

يجب ازالة الطعوم المتبقية من المعاملة و وضعها في عبوات محكمة و التخلص منها
مبيد مقيد و يجب الإستخدام تحت إشراف مهندس زراعي مختص مبيد صحه عامه
ولا يستخدم على الخضراوات تضمن لشركه المبيد اذا تم تخزينه في عبواته الاصليه وتحت
ظروف لتخزين الجيد لمدة ثلاث سنوات

BATCH NO:

PROD. DATE:

Validity Date: 3 Years from production date

RATIMOR® WAX BLOCKS

NEW & IMPROVED: NOW IN 10G BLOCKS - UP TO 100°

راتيمور واكس بلوكس (مكعبات شمعية)

المادة الفعالة : برومادياولون ٠,٠٥ ٪ / غرام / كغ

Active Ingredient: Bromadiolone **0,05 g/kg**
CAS RN: 28772-56-7

High Temperature Blocks up to 100°C



Manufactured By:
UNICHEM
SLOVENIA

Distributed By:
ecovar
Dubai, UAE
Tel: 9714 366 3302
www.ecovargroup.com

Moccae Registration Number

رقم التسجيل بوزارة التغير المناخي والبيئة

DXB-AD-140-172353

5 KG

DIRECTIONS FOR USE

طريقة الاستخدام

مكعبات شمعية من ١٠ غرامات لكل مكعب جاهزة للإستخدام
لمكافحة الجرذان و الفئران بالداخل
و الخارج حول المباني و في مجاري الصرف الصحي

Ready to use wax blocks rodenticide to control rats & mice
indoor & outdoor in bait station & in the manholes

TARGET	Level of infestation	Bait Points	Application
Mice	Low	10-20g every 5 meters	Indoors & outdoors around buildings: tamper resistant bait station, coverd & protected baiting points.
	High	10-20g every 2 meters	
Rats	Low	10-40g every 10 meters	Indoors & outdoors around buildings, in open areas, waste dumps & sewers:
	High	10-60g every 5 meters	tamper resistant bait station, coverd & protected baiting points, direct application into burrow.
Rats in Sewers	Low	10-20g Per Manhole	Anchored or applied in bait stations, coverd and protected bait points.
	High	10-60g per Manhole	Baits must be applied in a way so that they do not come into contact with water and are not washed away

Advice

The frequency of visits to the treated area should be at the discretion of the operator, in
the light of the survey conducted at the outset of the treatment. That frequency should be
consistent with the recommendations provided. Sites where burrow baiting is used should be
visited more frequently than those where secure bait boxes are employed. Secure the blocks
to available structures to ensure they are not washed away. Regularly check bait consumption
has stopped. Repeat treatment in situations where there is evidence of new infestation.

RESTRICTED USE PESTICIDE

For retail sale to and use only by certified Applicators or Persons under their direct supervision

المبيد مقيد الإستخدام

ليبعة و لاستخدامة فقط من قبل فنيين مرخصين او تحت اشرافهم الفني